



LAUDA COMMAND APP

Intuitive device control via smartphone, tablet and PC


LAUDA Command and Command Professional app

Temperature control at the tap of a finger

Experience a new era of device control that increases efficiency and prioritizes user-friendliness. The LAUDA Command app is your reliable partner for the seamless integration and optimized performance of your temperature control solutions. The installation site and operation are decoupled to allow access from any location. The LAUDA Command Professional app offers more functions, such as customized setting options, advanced analysis functions and sophisticated control options.

Download


Download the app for free at:



LAUDA Command app

Precision temperature control in one hand

Whether a smartphone, tablet or PC, the app (iOS, Windows, Android) allows the user to define temperature setpoints, start or stop temperature control processes and configure individual settings for LAUDA devices at any time and from anywhere within the company network.



LAUDA Command (free)

- **Device selection:** Easy selection of the device in use
- **Temperature setpoint:** Direct input of the temperature setpoint (T_{set})
- **Modifying parameters:** Individual control variables, control parameters, level parameters, correcting variables and temperature limits can be set, depending on the application
- **Messages:** All alarms, error messages and warnings that may be triggered on the device appear in the app
- **Basic settings:** Administration of language, temperature units and much more in just a few clicks
- **Standby/operation:** Intuitive controls for switching the device on/off (standby)

Product lines	Embedded vers.
Integral IN	1.52 or higher
Variocool*	1.76 or higher
Universa	all versions

* Ethernet Ethernet Module Advanced (LRZ 930) required



LAUDA Command app

LAUDA Command Professional app

Excellence in temperature control

Advanced functions that extend beyond those of the LAUDA Command app make it easier to identify trends, make adjustments and ensure a high reproducibility of temperature control processes. The main features of the LAUDA Command Professional app include creation and management of time-controlled temperature profiles, intuitive visualization of temperature data and continuous data recording.



LAUDA Command Professional

- **All advantages of LAUDA Command**
- **Programmer:** The programmer enables the user to program, save and start a temperature-time program. Five different programs can be saved, which can be exported and imported on other devices
- **Graphic temperature curve:** Temperature curves can be displayed graphically and exported as image files
- **Data recording:** Parameters in the graphic temperature curve can be recorded and exported for further analysis or reporting
- **Flow control:** In temperature control units, volume flows can be set and displayed in combination with the LAUDA flow control (MID 80, FC 80 C)

Part number: D000089

Product line	Embedded vers.
Integral IN	1.57 or higher
Universa	all versions

LAUDA Command Professional app



Operate your LAUDA temperature control solution directly from your mobile device or PC. The LAUDA Command app is quick to install and easy to set up.



Access to the devices is protected with the highest security standards, such as two-factor authentication and HTTPS.



App compatibility is continuously being rolled out to additional product lines. Additional innovative functions are being constantly developed to expand the functionality of the app.

Start your LAUDA constant temperature equipment directly from a mobile device or PC: You can use the LAUDA Command app to conveniently configure and operate your device in a variety of ways.

The following brand names are registered trademarks of
LAUDA DR. R. WOBSE R GMBH & CO. KG:
LAUDA Microcool®, LAUDA Universa®, LAUDA Variopumpe®,
Kryomat®, Kryopac®, Mobifreeze®, Ultratemp®, Variocool®

LAUDA DR. R. WOBSE R GMBH & CO. KG
Laudaplatz 1 • 97922 Lauda-Königshofen • Germany
www.lauda.de

