

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Refrifluid 1

UFI: WC30-W0PK-500Y-ME3P

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Heat transfer fluids.

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG

Street/POB-No.: Laudaplatz 1

Postal Code, city: 97922 Lauda-Königshofen

Germany

 WWW:
 www.lauda.de

 E-mail:
 info@lauda.de

 Telephone:
 +49 (0)9343-503-0

 Telefax:
 +49 (0)9343-503-222

Department responsible for information:

Department Quality Management,

Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)

Telephone: 844 892 0111

Transport:

CONSULTANK Lutz Harder GmbH (Contract QUALI003)

Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

STOT RE 2; H373 May cause damage to organs (kidney) through prolonged or repeated exposure (oral).



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024 Version: Replaces version: en-GB Language: Date of print: 2/6/2025

2 of 11

Refrifluid 1

Material number E701240x Page:

2.2 Label elements

Labelling (CLP)



Signal word:

Hazard statements: May cause damage to organs (kidney) through prolonged or repeated exposure

(oral).

Precautionary statements: P260 Do not breathe mist/vapours/spray.

> Get medical advice/attention if you feel unwell. P314

P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling: Contains: Ethane diol

2.3 Other hazards

Further hazardous properties cannot be excluded. Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119456816-28-xxxx EC No. 203-473-3 CAS 107-21-1	Ethane diol Acute Tox. 4; H302. STOT RE 2; H373.	10 - 25 %
REACH 01-2119979083-31-xxxx EC No. 243-283-8 CAS 19766-89-3	Sodium 2-ethylhexanoate Repr. 1B; H360D.	< 0.3 %

Full text of H- and EUH-statements: see section 16.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 3 of 11

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: First aider: Pay attention to self-protection! If medical advice is needed, have product

container or label at hand.

In case of inhalation: Remove person to fresh air and keep comfortable for breathing. Consult physician.

Following skin contact: After contact with skin, wash immediately with soap and plenty of water. Take off

contaminated clothing and wash it before reuse. In the event of discomfort seek medical

treatment.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

consult an ophthalmologist.

After swallowing: Rinse mouth and drink large quantities of water. Do not induce vomiting. Consult physician.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

May cause damage to kidneys through prolonged or repeated exposure if swallowed.

Headache, Dizziness, nausea, vomiting, confusion, unconsciousness.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Extinguishing is to be in accordance with the surrounding fire.

Recommendation: ABC Extinguishing powder

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours. In the event of a fire, the following may be produced when the water evaporates: carbon

monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective

clothing.

Additional information: Hazchem-Code: -

Cool endangered containers with water jetspray. Do not allow fire water to penetrate into

surface or ground water.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 4 of 11

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation. Take off contaminated clothing and wash it before reuse.

Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Thoroughly clean surrounding area.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe

mist/vapours/spray.

Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before

reuse.

Wear appropriate protective equipment. Do not eat, drink or smoke when using this

product. Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Avoid unenclosed light, fire and other ignition sources.

7.2 Conditions for safe storage, including any incompatibilities

 $\label{lem:Requirements} \textbf{Requirements for storerooms and containers:}$

Keep containers in a dry, well-ventilated and cool place. Protect from heat and direct sunlight. Store only in original container. Store carefully closed containers upright to prevent

any leaks.

storage temperature: 5 - 35 °C

Hints on joint storage: keep away from: strong acids, strong bases.

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 5 of 11

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
107-21-1	Ethane diol	Great Britain: WEL-STEL	104 mg/m³; 40 ppm
			(vapour, may be absorbed through the
			skin)
		Great Britain: WEL-TWA	10 mg/m ³
			(may be absorbed through the skin)
		Great Britain: WEL-TWA	52 mg/m ³ ; 20 ppm
			(vapour, may be absorbed through the
			skin)

DNEL/DMEL: Information about Ethane diol (CAS 107-21-1):

DNEL, workers, inhalative, local, long-term: 35 mg/m³
DNEL, workers, dermal, systemic, long-term: 106 mg/kg bw/d
DNEL consumers, inhalative, local, long-term: 7 mg/m³
DNEL consumers, dermal, systemic, long-term: 53 mg/kg bw/d
Information about Sodium 2-ethylhexanoate (CAS 19766-89-3):
DNEL workers inhalative systemic long-term: 14 mg/m³

DNEL, workers, inhalative, systemic, long-term: 14 mg/m³ DNEL, workers, dermal, systemic, long-term: 2 mg/kg bw/d DNEL, consumers, inhalative, systemic, long-term: 3.5 mg/m³ DNEL, consumers, dermal, systemic, long-term: 1 mg/kg bw/d DNEL, consumers, oral, systemic, long-term: 1 mg/kg bw/d

PNEC: Information about Sodium 2-ethylhexanoate (CAS 19766-89-3):

PNEC water (freshwater): 0.36 mg/L
PNEC water (marine water): 0.036 mg/L
PNEC sediment (freshwater): 0.301 mg/kg dw
PNEC sediment (marine water): 0.03 mg/kg dw

PNEC soil: 0.0579 mg/kg dw

PNEC sewage treatment plant: 71.7 mg/L

8.2 Exposure controls

Provide adequate ventilation, and local exhaust as needed.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. In case

of inadequate ventilation wear respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 6 of 11

Hand protection: Protective gloves according to BS EN ISO 374-1.

Glove material: Linear low-density polyethylene (LLDPE)

Breakthrough time: >480 min. Layer thickness: >= 0.062 mm

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Have eye wash bottle or eye rinse ready at work place. Take off contaminated clothing and

wash it before reuse.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Colour: transparent, pink

Odour: characteristic
Odour threshold: No data available

pH: at 20 °C: 6 - 8

Melting point/freezing point:

No data available

Initial boiling point and boiling range: 109 $^{\circ}$ C Flash point/flash point range: > 60 $^{\circ}$ C

Evaporation rate:

No data available

Flammability:

No data available

Explosion limits:

Vapour pressure:

at 20 °C: 22.23 hPa
at 50 °C: 117.16 hPa

Vapour density: No data available Density: at 20 °C: 1.045 g/mL

Water solubility: at 20 °C: completely miscible

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: 400 °C

Decomposition temperature:

No data available

Viscosity, dynamic:

at 20 °C: 1.22 mPa*s

Viscosity, kinematic:

at 20 °C: 1.17 mm²/s

Explosive properties:

No data available

Oxidizing characteristics:

No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 7 of 11

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect against heat /sun rays. Avoid unenclosed light, fire and other ignition sources.

10.5 Incompatible materials

Strong acids, strong bases

10.6 Hazardous decomposition products

Thermal decomposition: No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 8 of 11

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 3,000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 2,000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 20 mg/L/4h

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): STOT RE 2; H373 = May cause damage to

organs through prolonged or repeated exposure.

Target organ: Kidneys.

Exposure route: In case of ingestion.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information:

Information about Ethane diol (CAS 107-21-1):

ATE oral: 500 mg/kg

LD50 Mouse, dermal: > 3,500 mg/kg

LD50 Rat, inhalative (vapour): > 20 mg/L/4h

Information about Sodium 2-ethylhexanoate (CAS 19766-89-3):

LD50 Rat, oral: > 2,000 mg/kg LD50 Rat, dermal: > 3,500 mg/kg



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 9 of 11

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Ethane diol (CAS 107-21-1):

Algae toxicity:

EC50 Selenastrum capricornutum (green algae): 24,000 mg/L/168h

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): 51,000 mg/L/48h

Fish toxicity:

LC50 Pimephales promelas (fathead minnow): 53,000 mg/L/96h

12.2 Persistence and degradability

Further details: Information about Ethane diol (CAS 107-21-1):

Biodegradability: 90% / 14d. Easily bio-degradable. BOD5: 0.47 g O2/g COD: 1.29 g O2/g BOD5/COD: 0.36

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 16 01 14* = antifreeze fluids containing hazardous substances

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be

recycled.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 10 of 11

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

 $\label{prop:continuous} \textit{Further regulations, limitations and legal requirements:}$

Use restriction according to REACH annex XVII, no.: 3

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Classification procedure: Health hazards: calculation method



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 2/12/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid 1

Material number E701240x Page: 11 of 11

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H360D = May damage the unborn child.

H373 = May cause damage to organs (kidney) through prolonged or repeated exposure (oral).

Abbreviations and acronyms: Acute Tox.: Acute toxicity

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

ATE: Acute toxicity estimate

ATEmix: Acute Toxicity Estimate of mixture

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level

EC: European Community

EC50: Effective Concentration 50%

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

EN: European Standard

EQ: Excepted quantities

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

IMO: International Maritime Organization

LC50: Median lethal concentration

LD50: Lethal dose 50%

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OEL: Occupational Exposure Limit Value

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

Repr.: Reproductive toxicity

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

STOT RE: Specific target organ toxicity - repeated exposure

TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances

UFI: Unique Formula Identifier

vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

Reason of change: Changes in section 1: UFI

Changes in section 2: Classification, labelling

Changes in section 3: Composition/information on ingredients

Changes in section 7: Storage class

Changes in section 15: National regulations

General revision

Date of first version: 28/11/2012

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.