

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Refrifluid B

This safety data sheet pertains to the following products:

E7011852 = 2 L E7011854 = 4 L

UFI: 4830-E005-V00G-Y2HM

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Corrosion inhibitor.

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG

Street/POB-No.: Laudaplatz 1

Postal Code, city: 97922 Lauda-Königshofen

Germany

 www.
 www.lauda.de

 E-mail:
 info@lauda.de

 Telephone:
 +49 (0)9343-503-0

 Telefax:
 +49 (0)9343-503-222

Department responsible for information:

Department Quality Management,

Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)

Telephone: 844 892 0111

Transport:

CONSULTANK Lutz Harder GmbH (Contract QUALI003)

Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Repr. 1B; H360D May damage the unborn child.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 2 of 11

2.2 Label elements

Labelling (CLP)



Signal word: Danger

Hazard statements: H360D May damage the unborn child.

Precautionary statements: P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling: Contains Sodium 2-ethylhexanoate.

Restricted to professional users.

2.3 Other hazards

No risks worthy of mention.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119979083-31-xxxx EC No. 243-283-8 CAS 19766-89-3	Sodium 2-ethylhexanoate Repr. 1B; H360D.	5 - 10 %
REACH 01-2120762063-61-xxxx EC No. 241-300-3 CAS 17265-14-4	Disodium sebacate Eye Irrit. 2; H319.	1 - 5 %

Full text of H- and EUH-statements: see section 16.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 3 of 11

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: First aider: Pay attention to self-protection! If medical advice is needed, have product

container or label at hand.

In case of inhalation: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if

problems persist.

Following skin contact: After contact with skin, wash immediately with soap and plenty of water. Take off

contaminated clothing and wash it before reuse. In the event of discomfort seek medical

treatment.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

consult an ophthalmologist.

After swallowing: Rinse mouth and drink large quantities of water. Never give anything by mouth to an

unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: ABC powder.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: sodium compounds, carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective

clothing.

Additional information: Hazchem-Code: -

Cool endangered containers with water jetspray. Do not allow fire water to penetrate into

surface or ground water.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 4 of 11

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid exposure. Do not breathe mist/vapours/spray. Seal off endangered area. If possible, eliminate leakage. Keep unprotected people away. Provide good ventilation. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains. If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Collect with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents, or sawdust) and place in closed containers for disposal. Thoroughly clean surrounding area.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Ohta

Obtain special instructions before use. Do not breathe mist/vapours/spray. Provide adequate ventilation, and local exhaust as needed. Avoid contact with the substance. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Safety shower and eye wash station should be easily accessible to the work area. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep containers in a dry, well-ventilated and cool place. Protect from heat and direct sunlight. Store only in original container. Store carefully closed containers upright to prevent any leaks.

Storage temperature: 5 °C up to 35 °C

Hints on joint storage: Keep away from: strong acids, strong bases.

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 5 of 11

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL: Information about Sodium 2-ethylhexanoate (CAS 19766-89-3):

DNEL, workers, inhalative, systemic, long-term: 14 mg/m³ DNEL, workers, dermal, systemic, long-term: 2 mg/kg bw/d DNEL, consumers, inhalative, systemic, long-term: 3.5 mg/m³ DNEL, consumers, dermal, systemic, long-term: 1 mg/kg bw/d DNEL, consumers, oral, systemic, long-term: 1 mg/kg bw/d Information about Disodium sebacate (CAS 17265-14-4): DNEL, workers, inhalative, systemic, long-term: 35.26 mg/m³ DNEL, workers, dermal, systemic, long-term: 10 mg/kg bw/d DNEL, consumers, inhalative, systemic, long-term: 8.7 mg/m³ DNEL, consumers, dermal, systemic, long-term: 5 mg/kg bw/d DNEL, consumers, oral, systemic, long-term: 5 mg/kg bw/d

PNEC: Information about Sodium 2-ethylhexanoate (CAS 19766-89-3):

PNEC, water (freshwater): 0.36 mg/L PNEC, water (marine water): 0.036 mg/L PNEC, sewage treatment plant: 71.7 mg/L PNEC, sediment (freshwater): 0.301 mg/kg dw PNEC, sediment (marine water): 0.03 mg/kg dw

PNEC, soil: 0.058 mg/kg

Information about Disodium sebacate (CAS 17265-14-4):

PNEC, water (freshwater): 0.018 mg/L PNEC, water (marine water): 0.002 mg/L PNEC, sewage treatment plant: 10 mg/L PNEC, sediment (freshwater): 0.548 mg/kg dw PNEC, sediment (marine water): 0.055 mg/kg dw

PNEC, soil: 0.099 mg/kg

8.2 Exposure controls

Provide adequate ventilation, and local exhaust as needed.

Personal protection equipment

Occupational exposure controls

Respiratory protection: If vapours form, use respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to BS EN ISO 374-1.

 $Observe\ glove\ manufacturer's\ instructions\ concerning\ penetrability\ and\ breakthrough\ time.$

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1.

Body protection: Wear suitable protective clothing.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 6 of 11

General protection and hygiene measures:

Obtain special instructions before use. Do not breathe mist/vapours/spray. Avoid contact with the substance. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse. Safety shower and eye wash station should be easily accessible to the work area.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Colour: pink

Odour: characteristic
Odour threshold: No data available

pH: at 20 °C: 9.5

Melting point/freezing point:

No data available

 $\label{eq:continuous} \begin{tabular}{ll} Initial boiling point and boiling range: & 100 °C \\ Flash point/flash point range: & > 60 °C \\ \end{tabular}$

Evaporation rate:

No data available

Flammability:

No data available

Explosion limits:

Vapour pressure:

at 20 °C: 2,350 Pa

at 50 °C: 12,381 Pa

Vapour density:

Density:

Solubility:

No data available
at 20 °C: 1.035 g/mL

No data available

Partition coefficient: n-octanol/water:

No data available

Auto-ignition temperature: 480 °C

Decomposition temperature:

No data available

Viscosity, kinematic:

No data available

Explosive properties:

No data available

Oxidizing characteristics:

No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 7 of 11

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect from heat and direct sunlight.

10.5 Incompatible materials

Strong acids, strong bases.

10.6 Hazardous decomposition products

hydrocarbons, carbon monoxide and carbon dioxide

Thermal decomposition: No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 8 of 11

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological

data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 2,000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 2,000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 20 mg/L/4h (vapour)

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Repr. 1B; H360D = May damage the unborn child.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification

criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification

criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: Information about Sodium 2-ethylhexanoate (CAS 19766-89-3):

LD50 Rat, oral: > 2,000 mg/kg (OECD 401) LD50 Rat, dermal: >2,000 mg/kg (OECD 402)

LD50 Rat, inhalative (vapour): 0.11 mg/L/8h (OECD 403)

Information about Disodium sebacate (CAS 17265-14-4): LD50 Rat, oral: > 5,000 mg/kg (OECD 401)

LD50 Rat, dermal: > 2,000 mg/kg (OECD 401) LD50 Rat, dermal: > 2,000 mg/kg (OECD 402) LD50 Rat, inhalative (dust/mist): > 5 mg/L/4h

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 Language: en-GB Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 9 of 11

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 06 04* = other organic solvents, washing liquids and mother liquors

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be

recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Language:

Version:

Replaces version: en-GB Date of print: 2/6/2025

Revision date: 16/9/2024

Page:

10 of 11

Refrifluid B

Material number E701185x

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 30, 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H319 = Causes serious eye irritation. H360D = May damage the unborn child.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 16/9/2024 Version: 10.0 Replaces version: 9.0 en-GB Language: Date of print: 2/6/2025

Refrifluid B

Material number E701185x Page: 11 of 11

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

ATEmix: Acute Toxicity Estimate of mixture

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level

DNEL: Derived no-effect level

EC: European Community

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

EN: European Standard

EQ: Excepted quantities

Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

IMO: International Maritime Organization

LD50: Lethal dose 50%

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

Repr.: Reproductive toxicity

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 1: Product identifier

Changes in section 3: Composition/information on ingredients

Changes in section 9: physical and chemical properties

Changes in section 11: Toxicological information

General revision

Date of first version: 28/11/2012

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.