

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Decalcifier

Material number LZB x26 Page: 1 of:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Decalcifier

REACH registration No.: 01-2119457026-42-XXXX

This safety data sheet pertains to the following products:

LZB 126: 5 kg

C&L-Nr. 02-2119773813-30-0000

CAS-Number: 5949-29-1 EC-number: 201-069-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Descaler

Industrial use

Professional uses / Public domain

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG

Street/POB-No.: Laudaplatz 1

Postal Code, city: DE-97922 Lauda-Königshofen

 www:
 www.lauda.de

 E-mail:
 info@lauda.de

 Telephone:
 +49 (0)9343-503-0

 Telefax:
 +49 (0)9343-503-222

Department responsible for information:

Department Quality Management,

Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)

Telephone: 844 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation. STOT SE 3; H335 May cause respiratory irritation.

2.2 Label elements

Labelling (CLP)



Signal word: Warning

Revision date: 9/1/2023

Date of print: 20/3/2023

9.0

8.0

en-GB

Version:

Language:

Replaces version:



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 9.0
Replaces version: 8.0
Language: en-GB
Date of print: 20/3/2023

Decalcifier

Material number LZB x26 Page: 2 of

Hazard statements: H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements: P102 Keep out of reach of children.

P261 Avoid breathing dust.

P264 Wash hands and face thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

Special labelling

Text for labelling: Contains: Citric acid monohydrate

2.3 Other hazards

May form explosible dust-air mixture if dispersed.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterisation: C6 H8 O7 x H2O

Citric acid monohydrate

CAS-Number: 5949-29-1 EC-number: 201-069-1

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Seek medical attention if problems persist.

Following skin contact: Remove residues with soap and water.

Change contaminated clothing. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an

ophthalmologist.

After swallowing: Never give anything by mouth to an unconscious person. Rinse mouth and drink 2-4 cupfuls of water.

Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 9.0
Replaces version: 8.0
Language: en-GB
Date of print: 20/3/2023

Decalcifier

Material number LZB x26 Page: 3 of

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, carbon dioxide, extinguishing powder.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Product is combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus and protective clothing to protect skin and eyes.

Additional information: Hazchem-Code: -

Do not allow fire water to penetrate into surface or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with the substance.

Avoid generation of dust. Do not breathe dust.

Wear appropriate protective equipment. Change contaminated clothing.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Final cleaning.

Larger quantities to be stemmed and pumped into tanks.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe dust. Do not get in eyes, on

skin, or on clothing. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Change

contaminated clothing. Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking.

May form explosible dust-air mixture if dispersed.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 9.0
Replaces version: 8.0
Language: en-GB
Date of print: 20/3/2023

Decalcifier

Material number LZB x26 Page: 4 of

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Not metal container.

Store container tightly closed in a dry area.

Protect against heat /sun rays.

Hints on joint storage: Do not store together with oxidizing agents, alkalis, reducing agents or metals.

Do not store together with combustible or self-igniting materials or any highly flammable solids.

Further details: Avoid formation of dust/air mixtures because of explosion hazard.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

Туре	Limit value
Great Britain: WEL-TWA	10 mg/m³ (Dust limit value, inhalable fraction)
Great Britain: WEL-TWA	4 mg/m³ (Dust limit value, respirable fraction)

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Dust should be exhausted directly at the point of origin.

Personal protection equipment

Occupational exposure controls

Respiratory protection: With the formation of dust, use a dust mask.

Possible alternatives: Particulates filter P1 according to EN 143.

Hand protection: Protective gloves according to EN 374.

Glove material: nitrile rubber - Layer thickness: 0.11 mm.

Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe dust. Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place. Change contaminated clothing.

Environmental exposure controls

Refer to "6.2 Environmental precautions".



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 9.0
Replaces version: 8.0
Language: en-GB
Date of print: 20/3/2023

Decalcifier

Material number LZB x26 Page: 5 of

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: solid

Form: crystalline

Colour: colourless up to white

Odour: odourless

Odour threshold: No data available

pH: at 10 g/L: 2.2

at 25 °C, 50 g/L: 1.85

Melting point/freezing point: 135 - 152 °C Initial boiling point and boiling range: (Decomposition) Flash point/flash point range: not applicable Evaporation rate: No data available Flammability: No data available **Explosion limits** No data available at 20 °C: <= 0.1 hPa Vapour pressure: No data available Vapour density: Density: at 20 °C: 1.542 g/cm3 at 25 °C: (Ethanol) 49 g/L

Partition coefficient: n-octanol/water: at 20 °C: -1.72 log P(o/w) (OECD 117)

Based on the n-octanol/water partition coefficient accumulation in organisms is not

expected.

at 20 °C: approx. 1630 g/L

Auto-ignition temperature: No data available

Decomposition temperature: > 170°C

Viscosity, kinematic: No data available

Explosive properties: Explosive dust-air mixtures may form.

Oxidizing characteristics: No data available

9.2 Other information

Ignition temperature: 345 °C

Bulk density: approx. 800 - 1000 kg/m³

Molecular weight 210.14 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

May form explosible dust-air mixture if dispersed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts violently with oxidizing agents, reducing agents, metals and bases.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Replaces version: Language: en-GB Date of print: 20/3/2023

Version:

Revision date: 9/1/2023

9.0

8.0

Decalcifier

Material number LZB x26

10.4 Conditions to avoid

Protect from excessive heat. (Release of water of crystalization in case of warming.) Avoid formation of dust/air mixtures because of explosion hazard.

10.5 Incompatible materials

Strong oxidizing agents, reducing agent, metals, bases

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition > 170°C

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: LD50 Rat, oral: (Substance anhydrous) 3000 mg/kg

> LD50 Mouse, oral: (Substance anhydrous) 5040 mg/kg (Substance anhydrous) 375 mg/kg LD50 Rat, intraperitoneal: LD50 Mouse, intraperitoneal: (Substance anhydrous) 961 mg/kg

Toxicological effects: Acute toxicity (oral): Based on available data, the classification criteria are not met.

> Acute toxicity (dermal): Based on available data, the classification criteria are not met. Acute toxicity (inhalative): Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Specific symptoms in animal studies (Rabbit): Not an irritant (OECD 404)

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Mutagenicity (in-vitro, Ames test): negative (Lit.)

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure): STOT SE 3; H335 = May cause respiratory irritation.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are

not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Symptoms

In case of inhalation: May cause irritations.

In case of ingestion: After intake of large amounts: stomachache, cough, vomiting with blood.

General remarks

Physiologically benign according to current data (not a mutagen, carcinogen or teratogen).



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 9.0
Replaces version: 8.0
Language: en-GB
Date of print: 20/3/2023

Decalcifier

Material number LZB x26 Page: 7 of

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful effects by modification of pH-value.

Algae toxicity:

IC5 Scenedesmus quadricauda: 640 mg/l/7d (anhydrous).

IC5 Mycrocystis aeruginosa: 80 mg/L/8 d.

Bacterial toxicity:

EC5 Pseudomonas putida: > 10000 mg/L/16h (anhydrous).

Daphnia toxicity:

EC50 Daphnia magna: 1535 mg/L/24h

Fish toxicity:

LC50 Leuciscus idus: 440 - 760 mg/L/96h (anhydrous).

12.2 Persistence and degradability

Further details: Biodegradation: 97 %/28d (OECD 301B)

Product is highly biodegradable.

Oxygen demand: BOD: 481 mg/g/5d

COD: 685 mg/g ThOD: 685 mg/g

12.3 Bioaccumulative potential

Bio-accumulation is not to be expected (log P(o/w) < 1).

Partition coefficient: n-octanol/water

at 20 °C: -1.72 log P(o/w) (OECD 117)

Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not release large quantities into the surface water or into drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 01 99 = Wastes from the manufacture, formulation, supply and use (MFSU) of basic organic

chemicals.

MFSU = manufacture, formulation, supply and use

Recommendation: Incinerate according to applicable local, state and federal regulations.

Package

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 9.0
Replaces version: 8.0
Language: en-GB
Date of print: 20/3/2023

Decalcifier

Material number LZB x26 Page: 8 of

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

EC-number: 201-069-1 Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 75

15.2 Chemical Safety Assessment

No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 9.0
Replaces version: 8.0
Language: en-GB
Date of print: 20/3/2023

Decalcifier

Material number LZB x26 Page: 9 of

SECTION 16: Other information

Further information

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

BOD: Biochemical oxygen demand CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CPR: Code of Federal Regulations
CIP: Classification, Labelling and Packaging
COD: Chemical Oyxgen Demand
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%

ECSO: Effective Concentra EN: European Standard EQ: Excepted quantities Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: Interna@nal Air Transport Associa@n – Dangerous Goods Regula@ns

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

LD50: Lethal dose 50%

log P(o/w): Partition coefficient: octanol/water

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

MFSU: Manufacture, formulation, supply and use

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

STOT SE: Specific target organ toxicity - single exposure

ThOD: Theoretical Oxygen Demand

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Literature: ICSC 0704

Reason of change: General revision
Date of first version: 18/9/2013

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.