

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Kryo 70 A

Material number LZB x31

Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Kryo 70 A

This safety data sheet pertains to the following products:

LZB 131: 5 L

LZB 231: 10 L

LZB 331: 20 L

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Heat transfer fluids
Industrial use
Professional uses / Public domain

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG

Street/POB-No.: Laudaplatz 1

Postal Code, city: 97922 Lauda-Königshofen
Germany

WWW: www.lauda.de

E-mail: info@lauda.de

Telephone: +49 (0)9343-503-0

Telefax: +49 (0)9343-503-222

Department responsible for information:
Department Quality Management,
Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)

Telephone: 844 892 0111

Transport:

CONSULTANK Lutz Harder GmbH (Contract QUALI003)

Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Page: 2 of 9

Precautionary statements: not applicable

2.3 Other hazards

Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.
Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).
Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher.
The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Polydimethylsiloxane

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.
Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before reuse.
In case of skin reactions, consult a physician.
Protect skin by using skin protective cream.
After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.
Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist in the event of irritation.
After swallowing: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Atomized water, extinguishing powder, carbon dioxide.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Page: 3 of 9

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Flammable liquid. Heating will lead to pressure increase: Danger of bursting and explosion.

May form dangerous gases and vapours in case of fire. Furthermore, there may develop: carbon monoxide and carbon dioxide.

Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Hazchem-Code: -

Cool endangered containers with water jetspray. Do not allow fire water to penetrate into surface or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Stop leak if safe to do so. Avoid contact with the substance. Do not breathe vapour.

Ensure adequate ventilation, especially in confined areas.

Wear appropriate protective equipment. Keep unprotected people away. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Avoid contact with skin and eyes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

Provide adequate ventilation, and local exhaust as needed.

Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Have eye wash bottle or eye rinse ready at work place.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Page: 4 of 9

Precautions against fire and explosion:

Keep away from sources of ignition and heat.
Take precautionary measures against static discharges.
When using product or filling containers, use only grounded equipment with bonding leads.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep only in original container. Store in well closed containers in a cool, dry, well-ventilated area.
Protect from direct sunlight. Opened containers shall be carefully closed and stored in upright position.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.
Keep away from: oxidizing agents, alkalis, acids.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

When aerosols and vapours form: Withdraw by suction.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection in case of aerosol or vapour formation.

Hand protection: Protective gloves according to BS EN ISO 374-1.
Glove material: polyvinyl chloride (PVC), acrylonitrile-butadiene-rubber (NBR), Nitrile rubber, Neoprene (NP)
Layer thickness: ≥ 0.35 mm
Breakthrough time: >480 min
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse.
Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.
Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Kryo 70 A

Material number LZB x31

Page: 5 of 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: liquid Colour: colourless
Odour:	odourless
pH:	No data available
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	275 °C
Flash point/flash point range:	> 125 °C (c.c.)
Flammability:	This material is combustible, but will not ignite readily.
Explosion limits:	LEL (Lower Explosion Limit): Not determined UEL (Upper Explosive Limit): Not determined
Vapour pressure:	Not determined
Vapour density:	No data available
Density:	at 25 °C: 0.92 g/mL
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).
Viscosity, kinematic:	at 20 °C: 5 mm ² /s
Explosive properties:	No data available
Oxidizing characteristics:	No data available

9.2 Other information

Ignition temperature:	355 °C (DIN EN ISO/IEC 80079)
Additional information:	Pour point: < -100 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Page: 6 of 9

10.4 Conditions to avoid

Protect from direct sunlight. Keep away from sources of ignition and heat.

10.5 Incompatible materials

Oxidising agent, alkalis, acids.

10.6 Hazardous decomposition products

Thermal decomposition: No hazardous decomposition products when regulations for storage and handling are observed. Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Page: 7 of 9

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Acute (short-term) fish toxicity:
Leuciscus idus LC0: 200 mg/L/ 96 h
Chronic (long-term) fish toxicity:
Leuciscus idus NOEC: >10000 mg/kg/ 28d
Acute Daphnia toxicity:
Daphnia magna (Big water flea) EC0: > 0.0001 mg/L/48h

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 02 17 = waste containing silicones
Recommendation: Special waste. Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.
Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Page: 8 of 9

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -
No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 30/6/2025
Version: 4.0
Replaces version: 3.0
Language: en-GB
Date of print: 11/7/2025

Page: 9 of 9

SECTION 16: Other information

Further information

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: Effective Concentration
EC: European Community
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LCO: Lethal concentration 0%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEC: No Observed Effect Concentration
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

Reason of change: General revision

Date of first version: 7/1/2022

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.