

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Ultra 301

Material number LZB x53

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Ultra 301
REACH registration No.: 01-2119487078-27-xxxx

This safety data sheet pertains to the following products:

LZB 153: 5 L
LZB 253: 10 L
LZB 353: 20 L

CAS-Number: 8042-47-5
EC-number: 232-455-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Heat transfer fluids
Industrial use
Professional uses / Public domain

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG
Street/POB-No.: Laudaplatz 1
Postal Code, city: 97922 Lauda-Königshofen
Germany
WWW: www.lauda.de
E-mail: info@lauda.de
Telephone: +49 (0)9343-503-0
Telefax: +49 (0)9343-503-222

Department responsible for information:
Department Quality Management,
Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)
Telephone: 844 892 0111
Transport:
CONSULTANK Lutz Harder GmbH (Contract QUALI003)
Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This substance is classified as not hazardous.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Ultra 301

Material number LZB x53

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Page: 2 of 9

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterisation: White mineral oil (petroleum)

CAS-Number: 8042-47-5

EC-number: 232-455-8

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Do not leave affected person unattended. Remove victim out of the danger area.

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:

Inhaling of product vapours can lead to irritations of the respiratory tract and mucous membrane.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Ultra 301

Material number LZB x53

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Page: 3 of 9

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: atomized water, extinguishing powder, carbon dioxide

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Hazchem-Code: -

Do not inhale explosion and combustion gases. Do not allow fire water to penetrate into surface or ground water. Cool endangered containers with water jetspray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Provide adequate ventilation. Wear appropriate protective equipment. Keep unprotected people away. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Ultra 301

Material number LZB x53

Page: 4 of 9

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray.

Precautions against fire and explosion: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers: Keep container dry, tightly closed and store at cool and aired place.
Keep only in the original container. Protect from heat and direct sunlight.

Hints on joint storage: Keep away from: oxidizing agents, Acids, alkalis.
Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL: DNEL, workers, inhalative, systemic, long-term: 164.56 mg/m³
DNEL, workers, dermal, systemic, long-term: 217.05 mg/kg bw/d
DNEL, consumers, inhalative, systemic, long-term: 34.78 mg/m³
DNEL, consumers, dermal, systemic, long-term: 93.02 mg/kg bw/d
DNEL, consumers, oral, systemic, long-term: 25 mg/kg bw/d

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection in case of aerosol or vapour formation. Use filter type A (= against vapours of organic substances) according to BS EN 14387.. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to BS EN ISO 374-1.
Breakthrough time: >10 min
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Protect skin by using skin protective cream.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Ultra 301

Material number LZB x53

Page: 5 of 9

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid
Colour: colourless

Odour: odourless

pH: No data available

Melting point/freezing point: -18 °C (ASTM D 97)

Initial boiling point and boiling range: No data available

Flash point/flash point range: 245 °C (ASTM D 92)

Flammability: This material is combustible, but will not ignite readily.

Explosion limits: No data available

Vapour pressure: No data available

Vapour density: No data available

Density: at 15 °C: 0.835 - 0.875 g/mL (ASTM D 4052)

Water solubility: insoluble

Partition coefficient: n-octanol/water: $\geq 1 \log K(o/w)$
Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity, kinematic: at 40 °C: 35 cSt

Explosive properties: No data available

Oxidizing characteristics: No data available

9.2 Other information

Ignition temperature: > 330 °C (DIN 51794)

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Ultra 301

Material number LZB x53

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Page: 6 of 9

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from sources of ignition and heat.

10.5 Incompatible materials

Oxidising agent, Acids, alkalis

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: LD50 Rat, oral: > 5,000 mg/kg
LD50 Rabbit, dermal: > 2,000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Ultra 301

Material number LZB x53

Page: 7 of 9

Toxicological effects:

- Acute toxicity (oral): Based on available data, the classification criteria are not met.
- Acute toxicity (dermal): Based on available data, the classification criteria are not met.
- Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
- Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.
- Skin sensitisation: Based on available data, the classification criteria are not met.
- Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.
- Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

Symptoms

In case of inhalation:
Inhaling of product vapours can lead to irritations of the respiratory tract and mucous membrane.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Fish toxicity:
LL50 *Leuciscus idus*: >10,000 mg/L/96h

12.2 Persistence and degradability

Further details: Biodegradability: 50 %/28d, not easily bio-degradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
 $\geq 1 \log K(o/w)$
 Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Ultra 301

Material number LZB x53

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Page: 8 of 9

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 03 10* = other insulating and heat transmission oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation. Do not allow to enter into ground-water, surface water or drains.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 8/7/2025
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 10/7/2025

Ultra 301

Material number LZB x53

Page: 9 of 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -
No data available

National regulations - EC member states

EC-number: 232-455-8

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Further information

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

Reason of change: General revision
Date of first version: 29/6/2022

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.