

PRODUCT DATA SHEET

Published: 2025-09-16

Reverse flow protection / shut down valve
with LiBus connection, M16 x 1
Part Number: LCZ 9673

Features

- The shut down valve/reverse flow protection enables safe operation of the thermostat with an external closed consumer (for example, a double jacketed vessel).
- The shut down valve/reverse flow protection is designed for a heat transfer liquid operating temperature range of -40 °C to 130 °C.
- Always secure hoses with suitable hose fuses!



Technical Features

Connection 1 thread (inside)

M16 x 1

Weight

1.06 kg

LAUDA DR. R. WOBSEY GMBH & CO. KG
Laudaplatz 1 • 97922 Lauda-Königshofen • DE

T + 49 (0) 9343 503-0
info@lauda.de • www.lauda.de
WEEE-Reg.-Nr.: DE 66 42 40 57

Kommanditgesellschaft: Sitz Lauda-Königshofen
Registergericht Mannheim • HRA 560069

Persönlich haftende Gesellschafterin:
LAUDA DR. R. WOBSEY Verwaltungs-GmbH
Sitz Lauda-Königshofen
Registergericht Mannheim • HRB 560226

Geschäftsführer:
Dr. Gunther Wobser (Vors.), Dr. Mario Englert,
Dr. Marc Stricker
Beirat: Dr. Gerhard Wobser