

# PRODUCT DATA SHEET

## Proline Kryomat RP 4050 C

The Proline Kryomats are floor-standing, low temperature thermostats suitable for a wide variety of applications. They never fail to impress through their compact design and high cooling capacities, especially at low temperatures. All Proline Kryomats are fitted with the Command remote control for easy and user-friendly operation. The units are equipped with a pressure pump optimized for internal use. Extra powerful cooling thermostats for bath applications from -90 up to 200 °C. LAUDA Proline Kryomats circulation pumps are adjustable from performance level five to eight. To prevent moisture in the atmosphere from condensing at low temperatures, bath bridge and bath edge heating are integrated into the design. Proline Kryomats stand out for having the latest technologies and an excellent price-performance ratio.



Working temperature min.  
-50 °C



Working temperature max.  
200 °C

### Technical Attributes

Technical Attributes	Proline Kryomat RP 4050 C
Working temperature min.	-50 °C
Working temperature max.	200 °C
Ambient temperature min.	5 °C
Ambient temperature max.	40 °C
Temperature stability	0.05 ±K
Application	external   External and inside the bath   Inside the bath
Heater power	3.5 kW
Cooling output at 20°C measured with ethanol	5.0 kW
Cooling output at 0°C measured with ethanol	3.0 kW
Cooling output at -20°C measured with ethanol	1.6 kW
Cooling output at -30°C measured with ethanol	1.0 kW
Cooling output at -40°C measured with ethanol	0.5 kW
Cooling output at -50°C measured with ethanol	0.25 kW
Power consumption	5 kW
Interface(s)	RS-232/485

LAUDA DR. R. WOBSEY GMBH & CO. KG  
Pfarrstraße 41/43 · 97922 Lauda-Königshofen  
Postfach 1251 · 97912 Lauda-Königshofen · DE

T +49 (0) 9343 503-0 · F +49 (0) 9343 503-222  
info@lauda.de · www.lauda.de  
WEEE-Reg.-Nr.: DE 66 42 40 57

Kommanditgesellschaft: Sitz Lauda-Königshofen  
Registergericht Mannheim · HRA 560069

Persönlich haftende Gesellschafterin:  
LAUDA DR. R. WOBSEY Verwaltungs-GmbH  
Sitz Lauda-Königshofen  
Registergericht Mannheim · HRB 560226

Geschäftsführer:  
Dr. Gunther Wobser (Vors.), Dr. Marc Stricker  
Beirat: Dr. Gerhard Wobser

## PRODUCT DATA SHEET

### Proline Kryomat RP 4050 C

Technical Attributes	Proline Kryomat RP 4050 C
Bath volume min.	32 L
Bath volume max.	44 L
Bath opening width	350 mm
Bath opening depth	350 mm
Bath depth	250 mm
usable depth	230 mm
Dimensions (WxDxH) in mm	600x700x1160
Pump connection thread	M16 x 1

LAUDA DR. R. WOBSEY GMBH & CO. KG  
Pfarrstraße 41/43 · 97922 Lauda-Königshofen  
Postfach 1251 · 97912 Lauda-Königshofen · DE

T +49 (0) 9343 503-0 · F +49 (0) 9343 503-222  
info@lauda.de · www.lauda.de  
WEEE-Reg.-Nr.: DE 66 42 40 57

Kommanditgesellschaft: Sitz Lauda-Königshofen  
Registergericht Mannheim · HRA 560069

Persönlich haftende Gesellschafterin:  
LAUDA DR. R. WOBSEY Verwaltungs-GmbH  
Sitz Lauda-Königshofen  
Registergericht Mannheim · HRB 560226

Geschäftsführer:  
Dr. Gunther Wobser (Vors.), Dr. Marc Stricker  
Beirat: Dr. Gerhard Wobser